

Chronobiologie, Schlaf und Ernährung

- Betz M: Gesundheit und Ernährung bei Schichtarbeit. Ernährung im Fokus 07-08, 222–226 (2017)
- Binks H, Vincent GE, Gupta C et al.: Effects of diet on sleep: a narrative review. *Nutrients* 12, 936 (2020)
- BKK-Dachverband: Besser leben mit Schichtarbeit. 7. Aufl. (2015)
- Bravo R, Matito S, Cubero SD et al.: Tryptophan-enriched cereal intake improves nocturnal sleep, melatonin, serotonin, and total antioxidant capacity and mood in elderly humans. *Age (Dordr)* 35, 1277–1285 (2013)
- Campanini MZ, Guallar-Castillon P, Rodriguez-Artalejo F, Lopez-Garcia E: Mediterranean diet and changes in sleep duration and indicators of sleep quality in older adults. *Sleep* 40 (2017)
- Castro-Diehl C, Wood AC, Redline S: Mediterranean diet pattern and sleep duration and insomnia symptoms in the multi-ethnic study of atherosclerosis. *Sleep* 41 (2018)
- Cherasse Y, Urade Y: Dietary zinc acts as a sleep modulator. *Int J Mol Sci* 18, 2334 (2017)
- Colton J: How does nutrition impact sleep disorders? (2018); www.sleepreviewmag.com/sleep-disorders/insomnia/nutrition-impact-sleep-disorders/
- Crispim CE, Zimberg IZ, dos Reis BG et al.: Relationship between food intake and sleep pattern in healthy individuals. *J Clin Sleep Med* 7, 659–664 (2011)
- DeMelo CM, Del Re MP, Dos Santos Quaresma MVL et al.: Relationship of evening meal with sleep quality in obese individuals with obstructive sleep apnea. *Clin Nutr ESPEN* 29, 231–236 (2019)
- Deutsche Gesetzliche Unfallversicherung e. V. (DGUV): Leben mit Schichtarbeit. Tipps für Beschäftigte (2019)
- Dashti HS, Scheer FAJL, Jaques PF et al.: Short sleep duration and dietary intake: epidemiologic evidence, mechanisms and health implications. *Adv Nutr* 6, 648–659 (2015)
- DCMS News: Schlafstörungen und Mikronährstoffe. Ausgabe 2, Mai (2013)
- DGE: Gibt es einen Zusammenhang zwischen Schlafdauer und Körpergewicht? Presseinformation vom 03.08.2010
- DGSM: Ratgeber für Schichtarbeit
- Doherty R, Madigan S, Warrington G, Ellis J: Sleep and nutrition interactions: Implications for Athletes. *Nutrients* 11, 822 (2019)
- DONALD News: Schlafdauer und endogene Melatoninproduktion. Ernährung Umschau 10, 517 (2010)
- Frank S, Gonzalez K, Lee-Ang L et al.: Diet and sleep physiology: public health and clinical implications. *Frontiers in Neurology* 8, 1–6 (2017)
- Grandner MA, Jackson N, Gerstner JR, Knutson KL: Sleep symptoms associated with intake of specific dietary nutrients. *J Sleep Res* 23, 22–34 (2014)
- Golem DL, Martin-Biggers JT, Koenings MM et al.: An integrative review of sleep for Nutrition Professionals. *Am Soc Nutr Adv Nutr* 5, 742–759 (2014)
- Hirsch MC: Mikronährstoffe und Schlaf – Vitamin D und Zink. *Schlaf* 7, 109–110 (2018)
- IN FORM: Ernährung bei Schichtarbeit; www.in-form.de/wissen/ernaehrung-bei-schichtarbeit/
- Ikonte CJ, Mun JG, Reider CA et al.: Micronutrient inadequacy in short sleep: analysis of the NHANES 2005–2016. *Nutrients* 11 (2019)
- Kamensky J: Essen und Trinken bei Schichtarbeit (2019); www.vis.bayern.de
- Katagiri R, Asakura K, Kobayashi S et al.: Low intake of vegetables, high intake of confectionary, and unhealthy eating habits are associated with poor sleep quality among middle-aged female Japanese workers. *J Occup Health* 56, 359–368 (2014)
- Khan MKA, Faught EL, Chu YL et al.: Is it nutrients, food items, diet quality or eating behaviours that are responsible for the association of children's diet with sleep? *Journal of sleep research* 26 (2016)
- Kontinen H: Emotional eating and obesity in adults: the role of depression, sleep and genes. *Proc Nutr Soc* 26, 1–7 (2020)
- Laubscher S: Möglichkeiten der Selbstmedikation bei behandlungsbedürftigen Schlafstörungen. *DAZ* (2016)
- Leistenschneider P, Kurscheid T: Ernährung & Schlaf. *Schlaf* 2, 73–77 (2016)
- Lindseth G, Lindseth P, Thompson M: Nutritional Effects on sleep. *West J Nurs Res* 35, 497–513 (2013)
- Lopes TDVC, Borba ME, Lopes RDVC et al.: Eating late negatively affects sleep pattern and apnea severity in individuals with sleep apnea. *J Clin Sleep Med* 15, 383–392 (2019)
- MPG: Chronobiologie: Innere Uhren im Takt. 12. Oktober (2016); www.mpg.de/10778204/chronobiologie
- Nakajima K: Unhealthy eating habits around sleep and sleep duration: To eat or fast? *World J Diabetes* 9, 190–194 (2018)
- Nisar M, Mohammad RM, Arshad A et al.: Influence of dietary intake on sleeping patterns of medical students. *Cureus* 11 (2019)
- Noorwali E, Hardie L, Cade J: Bridging the reciprocal gap between sleep and fruit and vegetable consumption: a review of the evidence, potential mechanisms, implications and directions for future work. *Nutrients* 11, 1382 (2019)
- Nor ASMA, Norsham J, Nur IMFT et al.: Consequences of circadian disruption in shift workers on chrononutrition and their psychosocial well-being. *Int J Environ Res Public Health* 17, 2043 (2020)
- Potter GDM, Cade JE, Hardie LJ: Longer sleep is associated with lower BMI and favorable metabolic profiles in UK adults: Findings from the National Diet and Nutrition Survey. *PLOS ONE* July 27 (2017)
- Praxis & Medizin vom 02.05.2018: Schlafmangel und Ernährung
- Reynolds AC, Paterson JL, Ferguson SA et al.: The shift work and health research agenda: considering changes in gut microbiota as a pathway linking shift work, sleep loss and circadian misalignment, and metabolic disease. *Sleep Med Rev* 34, 3–9 (2017)
- ResMed Schweiz GmbH: Welche Schlafphasen gibt es? <https://schlafundatmung.ch/de/diagnose-und-therapie/diagnose/welche-schlafphasen-gibt-es/>
- Rostami H, Khayyatadeh SS, Tavakoli H: The relationship between adherence to a dietary approach to stop hypertension (DASH) dietary pattern and insomnia. *BMC Psychiatry* 19, 234 (2019)
- St-Onge MP, Micic A, Pietrolungo CE: Effects of diet on sleep quality. *Am Soc Nutr Adv Nutr* 7, 938–949 (2016)
- St-Onge, Zuraikat: Reciprocal roles of sleep and diet in cardiovascular health: a review of recent evidence and a potential mechanism. *Curr Atheroscler Rep* 12 (2019)
- Sutanto CN, Wang MX, Tan D, Kim JE: Association of sleep quality and macronutrient distribution: a systematic review and meta-regression. *Nutrients* 12, 126 (2020)

Ernährung und Depressionen

- Angerhofer S: Depressionen – eine Herausforderung für die Ernährungsberatung. *Diät & Information* 5, 132–135 (2008)
- Axmann C: Diabetes und Depression – Koinzidenz beachten! *Ars Medici* 6, 317–319 (2015)
- BDA Food Fact Sheet: Depression and diet (2016); www.bda.uk.com/foodfacts
- Carlos S, De La Fuente-Arrillaga C, Bes-Rastrollo M et al.: Mediterranean diet and health outcomes in the SUN cohort. *Nutrients* 10, 14–24 (2018)
- DCMS-News: Depressionen und Mikronährstoffe. Januar (2016)
- Gangwisch JE, Hale L, Garcia L et al.: High glycemic index diet as a risk factor for depression: analyses from the Women's Health Initiative. *Am J Clin Nutr* 102, 454–463 (2015)
- Hättenschwiler J: Der Einfluss von Mikronährstoffen auf die Psyche.
- Holler B, Konrad M: Depression – Ernährung als Therapie? *Ernährungs-Umschau* 57, 593–597 (2010)
- Hintze A, Maier L, Schaaf L: Achtsam und gezielt essen lernen bei psychiatrischen Erkrankungen und im Alltag. *Schweizer Zeitschrift für Ernährungsmedizin* 4, 13–14 (2017)
- Immel-Sehr A: Psychopharmaka – Medikamente als Dickmacher. *Pharmazeutische Zeitung* (2018); www.pharmazeutische-zeitung.de/index.php?id=39283
- Jacka FN, O'Neill A, Opie R: A randomized controlled trial of dietary improvement for adults with major depression (The "SMILES" trial). *BMC Med* 15, 23 (2017)
- Jung A, Spira D, Steinhagen-Thiessen E et al.: Der Zusammenhang zwischen Zinkaufnahme, Zinkstatus und Depressionssneigung bei Senioren – Ergebnisse der Berliner Altersstudie II. *Akt Ernährungsmed* 41, 228–253 (2016)
- Kirkland AE, Sarlo GL, Holton KF: The role of magnesium in neurological disorders. *Nutrients* 10, 730 (2018)
- Knüppel A, Shipley MJ, Llewellyn CH, Brunner EJ: Sugar intake from sweet food and beverages, common mental disorder and depression: prospective findings from the Whitehall II study. *Nature Scientific Reports* 7, 6287 (2017), doi:10.1038/s41598-017-05649-7
- Kohls E, Dogan E, Hegerl U: Ernährung und Depression: Die MoodFOOD Präventions-Studie. *Public Health Forum* 24, 220–224 (2016)
- Lang U, Beglinger C, Schweinfurth N et al.: Nutritional aspects of depression. *Cell Physiol Biochem* 37, 1029–1043 (2015)
- Lang UE, Borgwardt S: Die Rolle der Ernährung bei Depressionen: Alle therapeutischen Möglichkeiten ausschöpfen. *Psychiatrie & Neurologie* 2, 22–25 (2016)
- Lazarevich I, Irigoyen Camacho ME, Velazquez-Alva MC et al.: Depression and food consumption in Mexican college students. *Nutr Hosp* 35, 620–625 (2018)
- Libuda L et al.: *Der Nervenarzt* 1, 88–97 (2017)
- Lopresti AL: A review of nutrient treatments for paediatric depression. *J Affect Disord* 181, 24–32 (2018)
- Mählmann L: Darmmikrobiota als Behandlungsansatz in der Psychiatrie. *Schweizer Zeitschrift für Ernährungsmedizin* 4, 6–12 (2017)
- Miki T, Kochi T, Eguchi M et al.: Dietary intake of minerals in relation to depressive symptoms in Japanese employees: the Furukawa Nutrition and Health Study. *Nutrition* 31, 686–690 (2015)
- Miyake Y, Tanaka K, Okubo H, Sasaki S, Arakawa M: Intake of dairy products and calcium and prevalence of depressive symptoms during pregnancy in Japan: a cross-sectional study. *BJOG* 122, 336–43 (2015)
- Nanri A, Eguchi M, Kuwahara K et al.: Macronutrient intake and depressive symptoms among Japanese male workers: the Furukawa Nutrition and Health Study. *Psychiatry Res* 220, 263–268 (2014)
- O'Neill A, Quirk, SE, Houston S et al.: Relationship between diet and mental health in children and adolescents: a systematic review. *Am J Public Health* 104(10), e31–e42 (2014)
- Paans NPG, Bot M, Van Strien T: Eating styles in major depressive disorder: results from large-scale study. *J Psychiatr Res* 97, 38–46 (2018a)
- Paans NPG, Bot M, Brouwer IA et al.: The association between depression and eating styles in four European countries: The MoodFOOD prevention study. *J Psychosom Res* 108, 85–92 (2018b)
- Rahimlou M, Morshedzadela N, Jafairad S et al.: Association between dietary glycemic index and glycemic load with depression: a systematic review. *European J Nutr* 1–8 (2018)
- Saghafian F, Malmir H, Saneei Pet al.: Fruits and vegetable consumption and risk of depression: accumulative evidence from an updated systematic review and meta-analysis of epidemiological studies. *Brit J Nutr* 119, 1087–1101 (2018)
- Sanchez-Villegas, Zazpe I, Santiago S: Added sugars and sugar-sweetened beverage consumption, dietary carbohydrate index and depression risk in the Seguimiento Universidad de Navarra (SUN) project. *Br J Nutr* 119, 211–221 (2018)
- Shabbir F, Patel A, Mattison C et al.: Effect of diet on serotonergic neurotransmission in depression. *Neurochem Int* 62, 324–329 (2013)
- Smollich M: Psychopharmaka in der Ernährungstherapie (2018a); Blogbeitrag VDOe
- Smollich M: Psychopharmaka – Ernährungstherapeutisch relevante Nebenwirkungen. Vortrag in Kassel am 22.06.2018
- Stahl ST, Albert SM, Dew MA, Lockovich MH, Reynolds CF 3rd: Coaching in healthy dietary practices in at-risk older adults: a case of indicated depression prevention. *Am J Psychiatry* 171,499–505 (2014)
- Steurer J: Therapie einer Depression mit Diät? *Praxis* 106, 435–436 (2017)
- Suga H, Asakura K, Kobayashi S: Association between habitual tryptophan intake and depressive symptoms in young and middle-aged women. *J Affect Disord* 231, 44–50 (2018)
- Taylor AM, Holscher HD: A review of dietary and microbial connections to depression, anxiety, and stress. *J Nutr Neurosci* 9, Juli (2018); doi:10.1080/1028415X.2018.1493808
- Thormann J, Chittka T, Minkwitz J et al.: Adipositas und Depression: eine Übersicht über die vielschichtigen Zusammenhänge zweier Volkskrankheiten. *Fortschr Neurol Psychiatr* 81, 145–153 (2013)
- Vashum KP, McEvoy M, Milton AH, McElduff P, Hure A, Byles J, Attia J: Dietary zinc is associated with a lower incidence of depression: findings from two Australian cohorts. *J Affect Disord* 166, 249–257 (2014)
- Walker JG, Batterham PJ, Mackinnon AJ et al.: Oral folic acid and vitamin B-12-supplementation to prevent cognitive decline in community-dwelling older adults with depressive symptoms – the Beyond Aging Project: a randomized controlled trial. *Am J Clin Nutr* 95, 194–203 (2012)
- Wurtman J, Wurtman R: The trajectory from mood to obesity. *Current Obesity Reports* 7, 1–5 (2018)

ADHS und Ernährung

- Bener A, Kamal M et al.: Higher prevalence of iron deficiency as strong predictor of attention deficit hyperactivity disorder in children. *Ann Med Health Sci Res* 4 (Suppl 3), S291–S297 (2014)
- Bergmann K: AD(H)S und Ernährung. Disserta-Verlag, Hamburg (2014)
- BfR: Hyperaktivität und Zusatzstoffe – gibt es einen Zusammenhang? Stellungnahme Nr. 040/2007 des BfR vom 13. September 2007
- Black LJ, Allen KL, Jacoby P et al.: Low dietary intake of magnesium is associated with increased externalising behaviours in adolescents. *Public Health Nutr* 18, 1824–1830 (2015)
- Bloch MH, Mulqueen J: Nutritional supplements for the treatment of ADHD. *Child Adolesc Psychiatr Clin N Am* 23, 883–897 (2014)
- Clement HW, Beiner L, Yorgidis E, Clement C: ADHS und Oligoantigene Diät – Verhaltensreaktionen auf unverträgliche Lebensmittel vor und nach der Diät. *Pharmacopsychiatry* 53 (2020); doi:10.1055/s-0039-3403051
- Clement C, Fleischhaker C: Die oligoantigene Diät bei Kindern. *UGBforum* 6, 296–299 (2016)
- Cortese S, Tessari L: Attention-Deficit/Hyperactivity Disorder and obesity: Update 2016. *Curr Psychiatry* 19 (2017)
- van Egmond-Fröhlich AWA et al.: Association of symptoms of attention-deficit/hyperactivity disorder with physical activity, media time, and food intake in children and adolescents. *PLOS ONE* 7, 1–8 (2012)
- Fachgesellschaft für Ernährungstherapie und Prävention (FET): Fachinformation ADHS. Aufmerksamkeitsdefizit – Hyperaktivitätsstörung (2015)
- Goksugur SB, Tufan AE, Semiz M et al.: Vitamin D status in Children with attention-deficit-hyperactivity disorder. *Pediatr Int* 56, 515–519 (2014)
- Gruß B, Müller A, De Zwaan M: Aufmerksamkeitsdefizit-/Hyperaktivitätsstörung. Adipositas – Ursachen, Folgeerkrankungen, Therapie 4, 143–148 (2010)
- Hawkey E, Nigg JT: Omega-3-fatty acid and ADHD: blood level analysis and metanalytic extension of supplementation trials. *Clin Psychol Rev* 34, 496–505 (2014)
- Howard AL, Robinson M, Smith GJ, Ambrosini GL, Piek JP et al: ADHD is associated with a "Western" dietary pattern in adolescents. *J Atten Disord* 15, 403–411 (2011)
- Kaisari P, Dourish CT, Higgs S: Attention deficit hyperactivity Disorder (ADHD) and disordered eating behaviour: a systematic review and a framework for future research. *Clin Psychol Rev* 109–121 (2017)
- LaChance L, McKenzie K, Taylor VH, Vigod SN: Omega-6 to omega-3 fatty acid ratio in patients with ADHD: A meta-analysis. *J Can Acad Child Adolesc Psychiatry* 25, 87–96 (2016)
- Liebscher DH, Baerlocher K, Classen HG et al.: Magnesiummangel und -therapie bei ADHS – Empfehlungen der Gesellschaft für Magnesium-Forschung e. V. *Nieren- und Hochdruckkrankheiten* 40, 123–128 (2011)
- Ly V, Bottelier M, Hoekstra PJ et al.: Elimination diets' efficacy and mechanisms in attention deficit hyperactivity disorder and autism spectrum disorder. *Eur Child Adolesc Psychiatry* 11 (2017)
- Matthaei C: Wie können Essstörungen und ADHS zusammenhängen? *Perspektive ADHS* 6 (8), 23 (2014)
- Meier L, Hahn S, Kohlenberg-Müller K: Energie- und Nährstoffbedarf von Kindern und Jugendlichen mit Aufmerksamkeits-Defizit-Hyperaktivitätsstörung (ADHS) und Nutzen von Nährstoffsupplementation. *Aktuelle Ernährungsmedizin* 46 (03), (2021); doi: 101055/s-0041-1729711
- Mohammadpour N, Jazayeri S, Tehrani-Doost M et al.: Effect of vitamin D supplementation as adjunctive therapy to methylphenidate on ADHD symptoms: A randomized, double blind, placebo-controlled trial. *Nutr Neurosci* 7, 1–8 (2016)
- Morales E, Julvez J, Torrent M et al.: Vitamin D in pregnancy and attention-deficit hyperactivity disorder-like symptoms in childhood. *Epidemiology* 26, 458–465 (2015)
- Mossin MH, Aaby JB, Dalgard C et al.: Inverse associations between cord vitamin D and attention deficit hyperactivity disorder symptoms: A child cohort study. *Aust N Z J Psychiatry* 30 (2016)
- Pelsser LM, Frankena, K, Toorman J: Effects of a restricted elimination diet on the behaviour of children with attention-deficit hyperactivity disorder (INCA study): a randomised controlled trial. *Lancet* 377, 494–503 (2011)
- Pelsser LM, Frankena K, Toorman J, Pereira R: Diet and ADHD, reviewing the evidence: a systematic review of meta-analyses of double-blind placebo-controlled trials evaluating the efficacy of diet interventions on the behavior of children with ADHD. *PLoS One* 12 (2017)
- Rios-Hernandez A, Alda JA, Farran-Codina A, Izquierdo-Pulido M: The Mediterranean diet and ADHD in children and adolescents. *Pediatrics* 139, 2016–2027 (2017)
- RKI: ADHS bei Kindern und Jugendlichen in Deutschland – Querschnittergebnisse aus KiGGS Welle 2 und Trends. *Journal of Health Monitoring* (2018)
- Salehi B, Mohammadbeigi A, Sheykholeslam H et al.: Omega-3- and zink supplementation as complementary therapies in children with attention-deficit/hyperactivity disorder. *J Res Pharm Pract* 5, 22–26 (2016)
- Sellick J: Attention deficit hyperactivity disorder: Medication versus diets (2012)
- Sinn N: Nutritional and dietary influences on attention deficit hyperactivity disorder. *Nutr Rev* 66, 558–568 (2008)
- Soto-Insuga V, Calleja ML, Prados M et al.: Role of iron in the treatment of attention deficit-hyperactivity disorder. *An Pediatr (Barc)* 79, 230–235 (2013)
- Svedlund NE, Norring C, Ginsberg Y, von Hausswolff-Juhlin Y: Symptoms of attention deficit hyperactivity disorder (ADHD) among adult disorder patients. *BMS Psychiatry*
- Yu CJ, Du JC, Chiou HC et al.: Sugar-sweetened beverage consumption is adversely associated with childhood attention deficit/hyperactivity disorder. *Int J Environ Res Public Health* 13, 1–18 (2016)

Haut und Ernährung

- Barrea L, Balato LN, Somma CD et al.: Nutrition and psoriasis: is there any association between the severity of the disease and adherence to the Mediterranean diet? *J Transl Med* 13, 18 (2015)
- Biesalski: Ernährungsmedizin. 845–855 (2010)
- Burris J, Rietkerk W, Woolf K: Acne: the role of medical nutrition therapy. *J Acad Nutr Diet* 113, 416–430 (2013)
- Costa A, Pegas Pereira ES, Assumpção EC et al.: Assessment of clinical effects and safety of an oral supplement based on marine protein, vitamin C, grape seed extract, zinc, and tomato extract in the improvement of visible signs of skin aging in men. *Clin Cosmet Investig Dermatol* 8, 319–328 (2015)
- Czaika VA: Hautzeichen der Zuckerkrankheit. *MMW-Fortschr Med* 155 (15) (2013)
- Danby WR: Nutrition and aging skin: sugar and glycation. *Dermatology* 409–411 (2010)
- Dzalo M, Mierziak J, Korzun U et al.: The Potential of Plant Phenolics in Prevention and Therapy of Skin Disorders. *Int J Mol Sci* 17, 160 (2016)
- Fernandez-Garcia E: Skin protection against UV light by dietary antioxidants. *Food Funct* 5, 1994–2003 (2014)
- Grossi E, Cazzaniga S, Crotti S et al.: The constellation of dietary factors in adolescent acne: a semantic connectivity map approach. *J EADV* 30, 96–100 (2016)
- Itin P: Hautveränderungen bei Essstörungen. *SZE* 3 (2008)
- Katta RD, Desai: Diet and Dermatology – The Role of Dietary Intervention in Skin Disease. *J Clin Aesthet Dermatol* 7, 46–51 (2014)
- Kollmann Z, Stute P, von Wolf M: Haut und Haare – Veränderungen ein Leben lang. *Gynäkologie* 3, 5–9 (2011)
- Kretzschmar A: Rosacea: Auch das Darmmikrobiom mischt mit. *Ärztliches Journal*, Februar 2021
- Li Y, Seifert MF, Ney DM et al.: Dietary conjugated linolenic acids alter serum IGF-1 and IGF binding protein concentrations and reduce bone formation in rats fed (n-6) or (n-3) fatty acids. *J Bone Miner Res* 14, 1153–1162 (1999)
- Lienhard A: Chronische Wunden – Mangelernährung stört die Heilung. *Der Allgemeinarzt* 16, 14–17 (2013)
- Marini A: Nahrungsergänzungspräparate in der Dermatologie. *Dermatologie Praxis* 4, 14–18 (2012)
- Melnik B: Frische Küche – Schöne Haut. *HautInform* August (2008)
- Melnik BC: Linking diet to acne metabolomics, inflammation, and comedogenesis: an update. *Clin Cosmet Investig Dermatol* 8, 371–388 (2015)
- Millsow JW, Bhatia BK et al.: Diet and Psoriasis: Part 3. Role of Nutritional Supplements. *J Am Acad Dermatol* 71, 561–569 (2014)
- Mostafa WZ, Hegazy RA: Vitamin D and skin: Focus on a complex relationship: A review. *Journal of Advanced Research* 6, 793–804 (2015)
- Park K: Role of micronutrients in skin health and function. *Biomol Ther* 23, 207–217 (2015)
- Penso L et al.: Ungesunde Ernährungsweise fördert die Entstehung von Akne. *Aktuelle Dermatologie* 46, 414–415 (2020)
- Schagen SK, Zampeli VA, Makrantonaki E, Zouboulis CC: Discovering the link between nutrition and skin aging. *Dermato-Endocrinology* 4, 298–307 (2012)
- Schröder I: Ernährung und Akne – Was steckt dahinter? Pasta, Pizza, Pickel. *CME* 01/02 (2016)
- Siedentopp U: Integrative Ernährungstherapie bei Hauterkrankungen. *Dt Ztschr F Akup* 55, 39–43 (2012)
- Szyszkowska B, Cepecka-Klusek C, Kozcovicz K, Jazienicka I, Krasowska D: The influence of selected ingredients of dietary supplements on skin condition. *Postep Derm Alergol* 31, 174–181 (2014)
- Verbraucherzentrale: Sorgt Biotin für gesunde Haut, glänzende Haare und feste Nägel? vom 22.3.2021
- Verbraucherzentrale: Kollagendrinke für die Schönheit – Beauty aus der Büchse? vom 5.5.2021
- Waßmann A: Ernährungsberatung in der Dermatologie. *Praxisinformation von Mensingderma* Ausgabe 1/April 2012
- Wissennews vom 25.6.2015: Akne: Zu viel Vitamin B12 ist schlecht für die Haut
- Wissennews vom 29.2.2016: Kakao gegen Falten
- Wolkenstein P, Misery L, Amici JM et al.: Smoking and dietary factors associated with moderate-to-severe acne in french adolescents and young adults: results of a survey using a representative sample. *Dermatology* 230, 34–39 (2015)
- Wolters M, Hahn A: Bedeutung von Ernährungsfaktoren bei der Psoriasis. *SZE* 3, 20–24 (2008)

Hypertonie und Ernährung Prävention und Therapie

- Bielenberg J: Alternative Strategien zur Prävention und zum therapeutischen Management von Bluthochdruck. *Praxis Magazin* 5, 6–10 (2014)
- BfR: Blutdrucksenkung durch weniger Salz in Lebensmitteln. Stellungnahme Nr. 007/2012; www.bfr.bund.de
- Böhm U: Hypertonie und Orthomolekularmedizin. *EHK* 63, 14–20 (2014)
- Böner G: Der Effekt von körperlicher Aktivität auf die arterielle Hypertonie und andere Herz-Kreislauf-Risikofaktoren. *J Hyperton* 10, 30–34 (2006)
- Böner G: Diagnostik und Differenzialdiagnostik der Hypertonie bei Adipositas. *Adipositas* 2, 83–87 (2007)
- Braukmann M: Ernährungstherapie bei Hypertonie. *Ernährung im Fokus* 9, 122–15 (2009)
- Burnier M, Wuerzner G, Bochud M: Salzkonsum und arterielle Hypertonie. *Schweiz Med Forum* 14, 218–220 (2014)
- Campbell NRC, Lackland DT, McGregor GA: Dietary sodium: A perspective on recent sodium evidence – its interpretation and controversies. *J Clin Hypertens* 15, 765–768 (2013)
- DGE: Referenzwerte für die Nährstoffzufuhr. 2. Aufl., Bonn (2016)
- DGE: Fettzufuhr und Prävention der Hypertonie. (2015); www.dge.de
- DGE: DGE-Beratungsstandards. Kapitel 4.41: Hypertonie, 1–6 (2020)
- DHL: Fokus auf Lebensstil und Kombinationstherapie. Neue europäische Leitlinien zu Bluthochdruck. 9.7.2013; www.hochdruckliga.de
- DHL: Patientenleitfaden Bluthochdruck. (2017); www.hochdruckliga.de/betroffene/patientenleitfaden
- DHL: Neuer Therapieansatz bei salzsensitivem Bluthochdruck. 23.10.2020; www.hochdruckliga.de
- Dibaba DT, Xun P, Fly AD et al.: Dietary magnesium intake and risk of metabolic syndrome: a meta-analysis. *Diabet Med* 31, 1301–1309 (2014)

- Dorner TE, Genser D, Kreis G et al.: Hypertonie und Ernährung. *Herz* 38, 153–162 (2013)
- Filippini T, Malavolti M, Whelton PK et al.: Blood pressure effects of sodium reduction: Dose-response meta-analysis of experimental studies. *Circulation* (2021)
- Graudal N, Jürgens G, Baslund B, Alderman MH: Compared with usual sodium intake, low- and excessive-sodium diets are associated with increased mortality: a meta-analysis. *Am J Hypertens* 27, 1129–37 (2014)
- Gröber U, Kisters K: Arzneimittel als Nährstoffräuber, 2. Aufl., Wissenschaftliche Verlagsgesellschaft, Stuttgart (2017)
- Herold G: *Innere Medizin*. (2017)
- Hübel K, Iliakis D: Alkohol und Blutdruck. *SZE* 5, 18–21 (2009)
- Hübel K, Koneth I: Kalzium, Magnesium und Blutdruck. *SZE* 5, 27–29 (2009)
- Jehle PM, Beckert J, Arendt C et al.: Kochsalz in der Ernährung. *Aktuelle Ernährungsmedizin* 43, 488–504 (2018)
- Kasper H: *Ernährungsmedizin und Diätetik*. 12. Aufl., Elsevier, München (2014)
- Kisters K: Mikronährstoff-Teufelskreis. Magnesium- und Vitamin-D-Mangel verstärken sich gegenseitig. *food-monitor*, 25. Februar (2015)
- Klaus D: Sechs Gramm täglich sind genug! *MMW-Fortschr Med* 47, 36–38 (2010)
- Kribben A, Erbel R: Arterielle Hypertonie. *Herz* 37, 719–720 (2012)
- Lemberger H: Einfluss von Kalium auf den Blutdruck. *VFED aktuell* 152 (2016)
- Lenz T: *Hypertonie in Klinik und Praxis*. Schattauer, Stuttgart, New York (2008)
- Liu R, Mi B, Zhao Y et al.: Effect of B vitamins from diet on hypertension. *Arch Med Res* 48, 187–194 (2017)
- Middeke M: Salzkonsum und kardiovaskuläres Risiko. *Der Internist* 53, 14–19 (2012)
- Middeke M, Völker K, Laupert-Deick C: *Bluthochdruck senken ohne Medikamente*. Goldmann Verlag, München (2016)
- Mente A. et al.: Association of urinary sodium and potassium excretion with blood pressure. *NEJM* 371, 601–611 (2014)
- Mohaupt M: Kochsalzkonsum in der Schwangerschaft. *Schweiz Med Forum* 14, 307–308 (2014)
- Rehm J, Gmel G, Kiefer F et al.: Verbessertes Hypertonie-Management durch Alkohol-Screening und Folgeinterventionen in der Hausarztpraxis. *DMW*, 19. November (2014) online
- RKI: Der Blutdruck in Deutschland ist gesunken, das Präventionspotenzial bleibt hoch. *Epidemiologisches Bulletin*, 2. Februar, Nr. 5 (2015)
- Sanner B, Hausberg M: Primäre und sekundäre arterielle Hypertonie – Update 2016. *DMW* 141, 786–789 (2016)
- Sanner B, Hausberg M: Primäre und sekundäre arterielle Hypertonie – Update 2017. *DMW* 142, 1128–1132 (2017)
- Schulze-Lohmann P: Ballaststoffe. *Ernährungs Umschau* 408–417 (2012)
- Smollich M: Milchsäurebakterien schützen vor Bluthochdruck; www.ernaehrungsmedizin.blog/2017/11/17/milchsaeurebakterien-schuetzen-vor-bluthochdruck
- Smollich M, Blumenschein B: Salz oder kein Salz? *Deutsche Apothekerzeitung* (2014); www.deutsche-apotheker-zeitung.de
- Stroh C: Bariatriche Chirurgie: Magenbypass bevorzugte Operation. *Dtsch Arztebl* 113 (20), A-980 / B-826 / C-810 (2016)
- Strohm C, Boeing H, Leschik-Bonnet E et al.: Speisesalzzufuhr in Deutschland, gesundheitliche Folgen und resultierende Handlungsempfehlung. *Ernährungs Umschau* 63, M146–M154 (2016)
- Suter PM, Hübel K, Evequoz D: Ernährung, Lebensstil und Bluthochdruck. *Schweiz Med Forum* 9, 850–853 (2009)
- Verbraucherzentrale: Welches Salz im Haushalt? 11.08.2021
- Verbraucherzentrale: Salz reduzieren – was geschieht in Europa? 14.10.2021
- Verbraucherzentrale: Fragen und Antworten zu Salz. 29.10.2020
- Wienecke E, Nolden C: Magnesium-Supplementierung zur Blutdrucksenkung. *Pharmazeutische Zeitung* 27 (2015); www.pharmazeutische-zeitung.de
- Wirth A: *Adipositas. Ätiologie, Folgekrankheiten, Diagnostik, Therapie*. 3. Aufl., Springer Medizin Verlag, Heidelberg (2008)
- Zidek W: *Hypertonie – Rationelles Management einer schwierigen Erkrankung*. Wissenschaftliche Verlagsgesellschaft, Stuttgart 2007

Arthrose und Ernährung

- Al-Okbi SY: Nutraceuticals of anti-inflammatory activity as complementary therapy for rheumatoid arthritis. *Toxicol Ind Health* (2012)
- Aggarwal BB: *Heilende Gewürze*. Narayana Verlag, Kandern 2014
- Ärzteblatt Online: Anhaltender Schmerz nach Gelenk-OPs ein häufiges Problem. Meldung vom 27.09.2016; www.aerzteblatt.de/nachrichten/70692
- Arthrose-Journal: Übergewicht und Arthrose: nicht nur mechanischer Stress auf die Gelenke? Meldung vom 22.12.2014; www.arthrose-journal.de/leben-mit-arthrose/uebergewicht-und-arthrose-nicht-nur-mechanischer-stress-auf-die-gelenke/
- Ameye LG, Chee WS: Osteoarthritis and nutrition. From nutraceuticals to functional foods: a systematic review of the scientific evidence. *Arthritis Research & Therapy* 8, R127 (2006)
- Bäumler S: *Heilpflanzen Praxis heute*. Urban & Fischer, München (2007)
- Bang JS et al.: Anti-inflammatory and antiarthritic effects of piperine in human interleukin 1beta-stimulated fibroblast-like synoviocytes and in rat arthritis models. *Arthritis Res Ther* 11 (2), R49 (2009); doi 10.1186
- Beharka AA, Wu D et al.: Mechanism of vitamin E inhibition of cyclooxygenase activity in macrophages from old mice: role of peroxynitrite. *Free Radic Biol Med* 32, 503–11 (2002)
- Bürkle S: *Heimliche Entzündungen*. Königsfurt-Urania Verlag, Krumm-wisch (2017)
- Bundesverband Deutscher Ernährungsmediziner (BDEM): Ernährungstherapie bei entzündlich-rheumatischen Erkrankungen in Schwerpunktpraxen: Die Aufgaben des Ernährungsmediziners. *Der Ernährungsmediziner* 12 (1), (2010)
- Clinton CM, O'Brien S et al.: Whole-Foods, Plant-Based Diet Alleviates the Symptoms of Osteoarthritis. *Hindawi Publishing Corporation Arthritis*. Article ID 708152. Department of Internal Medicine, Michigan State University College of Human Medicine (2015)
- Davidson RK et al.: Sulforaphane represses matrix-degrading proteases and protects cartilage from destruction in vitro and in vivo. *Arthritis Rheum* 65 (12), 3130–40 (2013); doi 10.1002/art.38133
- Da Fonseca LJ, Nunes-Souza V, Goulart MO, Rabelo LA: Oxidative Stress in Rheumatoid Arthritis: What the Future Might Hold regarding Novel Biomarkers and Add-On Therapies. *Review. Oxid Med Cell Longev* 7536805 (2019); doi: 10.1155/2019/7536805
- Deutsche Arthrose-Hilfe: Praktische Tipps bei Arthrose allgemein. Gelenkentzündungen vermeiden. *Arthrose-Info Heft* 60, 9 (2003)

- Deutsche Gesellschaft für Ernährung (DGE): Rheumadiät. (o. J.); www.dge.de/wissenschaft/weitere-publikationen/fachinformationen/rheumadiaet/
- Deutsches Institut für Ernährungsforschung (DIfE): Pflanzenbetonte Ernährungsweise kann Entzündungen vorbeugen. Pressemitteilung vom 13.09.2016
- di Giuseppe R et al.: Regular consumption of dark chocolate is associated with low serum concentrations of C-reactive protein in a healthy Italian population. *J Nutr* 138 (10), 1939–45 (2008)
- Ding C: Natural history of knee cartilage defects and factors affecting change. University of Tasmania, Australia (2005)
- Ding C et al.: Knee structural alteration and BMI: a cross-sectional study. *Obes Res* 13 (2), 350–61 (2005)
- Ding C et al.: Body fat is associated with increased lean mass with decreased knee cartilage loss in older adults: a prospective cohort study. *Int J Obes* 37 (6), 822–7 (2013)
- Dinter J, Bechthold A et al.: Fischverzehr und Prävention ausgewählter ernährungsmitbedingter Krankheiten. *Ernährungs Umschau* 7 (2016); doi 10.4455/eu.2016.032
- Doré D, de Hoog J et al.: A longitudinal study of the association between dietary factors, serum lipids, and bone marrow lesions of the knee. *Arthritis Research & Therapy* 14, R13 (2012)
- Dumas JL: Wirkt Resveratrol bei Arthrose? *Arthrose Journal* 5.9.2014
- Elmali N et al.: Effects of resveratrol in inflammatory arthritis. *Inflammation* Apr 30 (1–2), 1–6 (2007)
- Engler MB et al.: Flavonoid-rich dark chocolate improves endothelial function and increases plasma epicatechin concentrations in healthy adults. *J Am Coll Nutr* Jun 23 (3), 197–204 (2004)
- Feil W, Brüderlin U et al.: Arthrose und Gelenkschmerzen überwinden. Forschungsgruppe Dr. Feil, Tübingen (2014)
- Fissler EK: Arthrose. Der Weg zur Selbstheilung. Hans-Nietsch-Verlag, Freiburg (2016)
- Fischer S et al.: Kräuter und Gewürze. Übersicht zu möglichen gesundheitsfördernden Effekten. *Ernährungs Umschau* 7, M 222–27 (2016); doi 10.4455/eu2016.047
- Forschungsinstitut für biologischen Landbau (FiBL): Klare Unterschiede in der Qualität von Milch und Fleisch zwischen biologischer und konventioneller Produktion. Medienmitteilung vom 16.02.2016
- Fuchs J, Kuhnert R, Scheidt-Nave C: 12-Monats-Prävalenz von Arthrose in Deutschland. *Journal of Health Monitoring* 2 (3), 55–60 (2017)
- Gamsjäger L, Valencak T: Gesunde Fettsäuren: Ist Wildbret gleich Wildbret? *Weidwerk* 3 (2014)
- Gioia C, Lucchino B, Tarsitano MG, Iannuccelli C, di Franco M: Dietary Habits and Nutrition in Rheumatoid Arthritis: Can Diet Influence Disease Development and Clinical Manifestations? *Nutrients* 12, 1456 (2020); doi: 10.3390/nu12051456
- Goerg KA: Ingwer. Scharfes „Superfood“. *Ernährungs Umschau* S43, 10 (2017)
- Grover AK, Samson SE: Benefits of antioxidant supplements for knee osteoarthritis: rationale and reality. *Nutrition Journal* 15, 1 (2016)
- Gruenwald J et al.: Cinnamon and health. *Crit Rev Food Sci Nutr* Oct, 50 (9), 822–34 (2010); doi 10.1080/10408390902773052
- Hofmann L: Update Fette: Bedeutung für Ernährung und Gesundheit. *Ernährung im Fokus* 03-04 (2017)
- Kreutzer M, Larsen A: Die Anti-Entzündungs-Diät. Riva Verlag, München (2017)
- Liebscher-Bracht R, Bracht P: Die Arthrose-Lüge. Goldmann-Verlag, München (2017)
- Lim, D et al.: Evidence for protective effects of coffees on oxidative stress-induced apoptosis through antioxidant capacity of phenolics. *Food Sci Biotechnol* 21, 1735 (2012); <https://doi.org/10.1007/s10068-012-0231-x>
- Lu B, Driban JB et al.: Milk Consumption and Progression of Medial Tibiofemoral Knee Osteoarthritis: Data From the Osteoarthritis Initiative. *Arthritis Care & Research* 66 (6), 802–809 (2014)
- Masuko K et al.: *Clin Exp Rheumatol* 27, 347–53 (2009)
- Mehta K, Gala J et al.: Comparison of glucosamine sulfate and a polyherbal supplement for the relief of osteoarthritis of the knee: a randomized controlled trial. *BMC Complement Altern Med* 7, 34 (2007)
- Menz HB et al.: Foot and ankle risk factors for falls in older people: a prospective study. *J Gerontol A Biol Sci Med Sci* 61 (8), 866–70 (2006)
- Messier SP et al.: Exercise and Dietary Weight Loss in Overweight and Obese Older Adults With Knee Osteoarthritis. The Arthritis, Diet, and Activity Promotion Trial. *Arthritis & Rheumatism* 50, (5), 1501–1510 (2004); doi 10.1002/art.20256
- Morales-Ivorra I, Romera-Baures M, Roman-Vinas B: Osteoarthritis and the Mediterranean Diet: A Systematic Review. *Nutrients* 7, 10 (8): 1030 (2018); doi: 10.3390/nu10081030
- Müller SD, Weißenberger C: Das große Arthrose-Kochbuch. Schlütersche Verlagsgesellschaft, Hannover (2016)
- Misaka S et al.: Green tea ingestion greatly reduces plasma concentrations of nadolol in healthy subjects. *Clinical pharmacology & Therapeutics* (2014)
- NDR-Ratgeber: Gelenkschmerzen mit Naturheilmitteln behandeln. Hintergrundinformationen zur Sendung „Visite“ vom 04.04.2016
- Physio Meets Science (PMS): Arthrose und der Lebensstil (Teil 2): Metaflammation. Wissenschaftlicher Blogbeitrag vom Februar (2017); <http://physiomeetsscience.com/arthrose-und-der-lebensstil-teil-2-metaflammation>
- Riedl M et al.: Die Ernährungs-Docs. Wie Sie mit der richtigen Ernährung Krankheiten vorbeugen und heilen können. ZS Verlag, München (2017)
- Römmelt S: Helfen Antioxidanzien bei Arthrose? *Arthrose-Journal* 8.4.2014 und weitere Artikel unter www.arthrose-journal.de (2014)
- Robert Koch-Institut (RKI): Arthrose. Gesundheitsberichterstattung des Bundes. Heft 54 (2013)
- Schnurr C et al.: Ernährungstherapie bei entzündlich-rheumatischen Erkrankungen. *Ernährungs Umschau* 57, 466–71 (2010)
- Schumann L, Martin HH, Keller M: Calcium, Milch und Knochengesundheit. Behauptungen und Fakten. *Ernährung im Fokus* 11–12 (2014)
- Schulze-Tanzil G: Inflammation und Dedifferenzierung von Gelenknorpelzellen. Habilitationsschrift. Medizinische Fakultät der Charité-Universitätsmedizin Berlin (2008)
- Sekar S, Shafie S et al.: Saturated fatty acids induce development of both metabolic syndrome and osteoarthritis in rats. *Scientific Reports* 7, 46457 (2017)
- Singer P, Wirth M, Löhlein I: Fettreiche Seefische in Konserven als Quellen von Omega-3-Fettsäuren. *Ernährung im Fokus* 07–08 (2014)
- Singh U, Devaraj S et al.: Vitamin E, oxidative stress, and inflammation. *Annu Rev Nutr* 25, 151–74 (2005)
- Souci Fachmann Kraut Datenbank (SFK): Wissenschaftliche Verlagsgesellschaft, Stuttgart 2017
- Srednicka-Tober D, Baranski M et al.: Composition differences between organic and conventional meat: a systematic literature review and meta-analysis. *British Journal of Nutrition* 115, 994–1011 (2016)
- Srednicka-Tober D, Baranski M et al.: Higher PUFA and n-3 PUFA, conjugated linoleic acid, α -tocopherol and iron, but lower iodine and sele-

nium concentrations in organic milk: a systematic literature review and meta- and redundancy analyses. *British Journal of Nutrition* (2016); doi 10.1017/s0007114516000349

Srinivasan K: Black pepper and its pungent principle-piperine: a review of diverse physiological effects. *Crit Rev Food Sci Nutr* 47 (8), 735–48 (2007)

Ströhle A, Remer T: Ernährung und Säure-Basen-Haushalt. *Ernährung im Fokus* 11–12 (2014)

Sudarma V et al.: Effect of dark chocolate on nitric oxide serum levels and blood pressure in prehypertension subjects. *Acta Med Indones Oct*, 43 (4), 224–8 (2011)

Tantavisut S, Tanavalee A et al.: Effect of vitamin E on oxidative stress level in blood, synovial fluid, and synovial tissue in severe knee osteoarthritis: a randomized controlled study. *BMC Musculoskeletal Disorders* 18, 281 (2017)

Thomas S, Browne H, Mobasheri A, Rayman MP: What is the evidence for a role for diet and nutrition in osteoarthritis? *Rheumatol* 57, iv61–iv74 (2018); doi: 10.1093/rheumatology/key011

Universität Hohenheim und Universitätsmedizin Mainz: Nicht-Zöliakie-Weizensensitivität. Einfluss von Weizensorten und Anbaubedingungen. Gemeinsame Pressemitteilung vom 22.03.2016

Universität des Saarlandes: Curcumin wirkt entzündungshemmend – Wirkmechanismus entschlüsselt. Pressemitteilung vom 16.11.2016

van der Woude JAD et al.: Six weeks of continuous joint distraction appears sufficient for clinical benefit and cartilaginous tissue repair in the treatment of knee osteoarthritis. *The knee* (2016); www.thekneejournal.com/article/S0968-0160(16)30041-2/fulltext

Vasanthi B, Komathi J et al.: Therapeutic effect of Vitamin E in patients with primary osteoarthritis. *Int J Recent Adv Pharm Res* 2, 46–50 (2012)

Verbraucherzentrale: Mittel gegen Gelenksbeschwerden: von wirkungslos bis riskant. Pressemitteilung vom 26.10.2017; www.verbraucherzentrale.de/aktuelle-meldungen/lebensmittel/mittel-gegen-gelenksbeschwerden-von-wirkungslos-bis-riskant-19463

Wang X. et al.: Metabolic triggered inflammation in osteoarthritis. *Osteoarthritis and Cartilage* (2014)

Yudoh K, van Trieu N et al.: Potential involvement of oxidative stress in cartilage senescence and development of osteoarthritis: oxidative stress induces chondrocyte telomere instability and downregulation of chondrocyte function. *Arthritis Res Ther*, R380–R391 (2005)

Zhuo Q, Yang W, Chen J, Wang Y: Metabolic syndrome meets osteoarthritis. *Nat Rev Rheumatol* 8, 729–37 (2012)

Internetadressen:

Deutsche Arthrose-Hilfe: www.arthrose.de

Deutsche Rheuma-Liga Bundesverband: www.rheuma-liga.de

Berufsverband für Orthopädie und Unfallchirurgie e. V. (BVOU): www.bvou.net/patienten-2/arthrose/

Gicht – Pathophysiologie und Ernährungsepidemiologie

Annemans L, Spaepen E, Gaskin M, Bonnemaire M et al.: Gout in the UK and Germany: prevalence, comorbidities and management in general practice 2000–2005. *Ann Rheum Dis* 67, 960–6 (2007)

Aune D, Norat T, Vatten LJ: Body mass index and the risk of gout: a systematic review and dose-response meta-analysis of prospective studies. *Eur J Nutr* 53, 1591–601 (2014)

Ayoub-Charette S, Liu Q, Khan TA, Au-Yeung F et al.: Important food sources of fructose-containing sugars and incident gout: a systematic review and meta-analysis of prospective cohort studies. *BMJ Open* 9 (5), e024171 (2019)

Beyl RN Jr, Hughes L, Morgan S: Update on Importance of Diet in Gout. *Am J Med* 129 (11), 1153–1158 (2016)

Bhole V, de Vera M, Rahman MM, Krishnan E et al.: Epidemiology of gout in women: fifty-two-year followup of a prospective cohort. *Arthritis Rheum* 62, 1069–1076 (2010)

Cardona F, Tinahones FJ, Collantes E, Garcia-Fuentes E et al.: Response to a urate-lowering diet according to polymorphisms in the apolipoprotein AI-CIII-AIV cluster. *J Rheumatol* 32, 903–5 (2005)

Castellana M, Conte E, Cignarelli A, Perrini S et al.: Efficacy and safety of very low calorie ketogenic diet (VLCKD) in patients with overweight and obesity: A systematic review and meta-analysis. *Rev Endocr Metab Disord* 21, 5–16 (2020)

Cai QY, Zhou ZJ, Luo R, Gan J, Li SP, Mu DZ, Wan CM: Safety and tolerability of the ketogenic diet used for the treatment of refractory childhood epilepsy: a systematic review of published prospective studies. *World J Pediatr* 13, 528–536 (2017)

Chatzipavlou M, Magiorkinis G, Koutsogeorgopoulou L, Kassimos D: Mediterranean diet intervention for patients with hyperuricemia: a pilot study. *Rheumatol Int* 34, 759–62 (2014)

Choi HK, Atkinson K, Karlson EW, Willett W et al.: Purine-rich foods, dairy and protein intake, and the risk of gout in men. *N Engl J Med* 350, 1093–103 (2004)

Choi HK, Ford ES, Li C, Curhan G: Prevalence of the metabolic syndrome in patients with gout: the Third National Health and Nutrition Examination Survey. *Arthritis Rheum* 57, 109–15 (2007)

Choi HK, Liu S, Curhan G: Intake of purine-rich foods, protein, and dairy products and relationship to serum levels of uric acid: the Third National Health and Nutrition Examination Survey. *Arthritis Rheum* 52, 283–9 (2005)

Choi HK, McCormick N, Lu N, Rai SK et al.: Population Impact Attributable to Modifiable Risk Factors for Hyperuricemia. *Arthritis Rheumatol* 72, 157–165 (2020)

Choi HK, Willett W, Curhan G: Fructose-rich beverages and risk of gout in women. *JAMA* 304, 2270–8 (2010b)

Choi HK, Zhu Y, Mount DB: Genetics of gout. *Curr Opin Rheumatol* 22, 144–51 (2010a)

Chrysohoou C, Skoumas J, Pitsavos C, Masoura C et al.: Long-term adherence to the Mediterranean diet reduces the prevalence of hyperuricaemia in elderly individuals, without known cardiovascular disease: the Icaria study. *Maturitas* 70, 58–64 (2011)

Dalbeth N, Choi HK, Joosten LAB, Khanna PP et al.: Gout. *Nat Rev Dis Primers* 5, 69 (2019)

Dalbeth N, Gracey E, Pool B, Callon K et al.: Identification of dairy fractions with anti-inflammatory properties in models of acute gout. *Ann Rheum Dis* 69, 766–9 (2010b)

Dalbeth N, Palmano K: Effects of dairy intake on hyperuricemia and gout. *Curr Rheumatol Rep* 13, 132–7 (2011)

Dalbeth N, Wong S, Gamble GD, Horne A et al.: Acute effect of milk on serum urate concentrations: a randomised controlled crossover trial. *Ann Rheum Dis* 69, 1677–82 (2010a)

Doualla-Bija M, Lobe Batchama Y, Moutchia-Suh J et al.: Prevalence and characteristics of metabolic syndrome in gout patients in a hospital setting in sub-Saharan Africa. *Diabetes Metab Syndr* 1007–1011 (2018)

- Ebrahimpour-Koujan S, Saneei P, Larijani B, Esmailzadeh A: Consumption of sugar sweetened beverages and dietary fructose in relation to risk of gout and hyperuricemia: a systematic review and meta-analysis. *Crit Rev Food Sci Nutr* 60, 1–10 (2020)
- Edozien JC, Udo UU, Young VR, Scrimshaw NS: Effects of high levels of yeast feeding on uric acid metabolism of young man. *Nature* 228, 180 (1970)
- Emmerson BT. Effect of oral fructose on urate production. *Ann Rheum Dis* 33, 276–80 (1974)
- Gao Y, Cui LF, Sun YY, Yang WH et al.: Adherence to the Dietary Approaches to Stop Hypertension (DASH) diet and hyperuricemia: a Cross-sectional Study. *Arthritis Care Res (Hoboken)* Jan 21 (2020); doi: 10.1002/acr.24150
- Garrel DR, Verdy M, PetitClerc C, Martin C et al.: Milk- and soy-protein ingestion: acute effect on serum uric acid concentration. *Am J Clin Nutr* 53, 665–9 (1991)
- Guzel O, Uysal U, Arslan N: Efficacy and tolerability of olive oil-based ketogenic diet in children with drug-resistant epilepsy: A single center experience from Turkey. *Eur J Paediatr Neurol* 23, 143–151 (2019)
- Habib G, Badarny S, Khreish M, Khazin F, Shehadeh V, Hakim G, Artul S: The impact of Ramadan fast on patients with gout. *J Clin Rheumatol* 20, 353–6 (2014)
- Holland R, McGill NW: Comprehensive dietary education in treated gout patients does not further improve serum urate. *Intern Med J* 45, 189–94 (2015)
- Jamnik J, Rehman S, Blanco Mejia S et al.: Fructose intake and risk of gout and hyperuricemia: a systematic review and meta-analysis of prospective cohort studies. *BMJ Open* 6, e013191 (2016)
- Johnson RJ, Rideout BA: Uric acid and diet-insights into the epidemic of cardiovascular disease. *N Engl J Med* 350, 1071–3 (2004)
- Juraschek SP, Gelber AC, Choi HK et al.: Effects of the Dietary Approaches to Stop Hypertension (DASH) Diet and Sodium Intake on Serum Uric Acid. *Arthritis Rheumatol* 68, 3002–3009 (2016)
- Ka T, Moriwaki Y, Takahashi S, Yamamoto A et al.: Effects of long-term beer ingestion on plasma concentrations and urinary excretion of purine bases. *Horm Metab Res* 37, 641–5 (2005)
- Kagan A, Harris BR, Winkelstein W Jr, Johnson KG et al.: Epidemiologic studies of coronary heart disease and stroke in Japanese men living in Japan, Hawaii and California: demographic, physical, dietary and biochemical characteristics. *J Chronic Dis* 27, 345–64 (1974)
- Kaneko K, Aoyagi Y, Fukuuchi T, Inazawa K et al.: Total purine and purine base content of common foodstuffs for facilitating nutritional therapy for gout and hyperuricemia. *Biol Pharm Bull* 37, 709–21 (2014)
- Kang HC, Chung DE, Kim DW, Kim HD: Early- and late-onset complications of the ketogenic diet for intractable epilepsy. *Epilepsia* 45, 1116–23 (2004)
- Kela U, Vijayvargiya R, Trivedi CP: Inhibitory effects of methylxanthines on the activity of xanthine oxidase. *Life Sci* 27, 2109–19 (1980)
- Kontogianni MD, Chrysohoou C, Panagiotakos DB, Tsetsekou E et al.: Adherence to the Mediterranean diet and serum uric acid: the ATTICA study. *Scand J Rheumatol* 41, 442–9 (2012)
- Lang S, Hilsabeck TA, Wilson KA, Sharma A et al.: A conserved role of the insulin-like signaling pathway in diet-dependent uric acid pathologies in *Drosophila melanogaster*. *PLoS Genet* 15, e1008318 (2019)
- Li R, Yu K, Li C: Dietary factors and risk of gout and hyperuricemia: a meta-analysis and systematic review. *Asia Pac J Clin Nutr* 27, 1344–1356 (2018)
- Lyngdoh T, Vuistiner P, Marques-Vidal P, Rousson V et al.: Serum uric acid and adiposity: deciphering causality using a bidirectional Mendelian randomization approach. *PLoS One* 7, e39321 (2012)
- Major TJ, Dalbeth N, Stahl EA, Merriman TR: An update on the genetics of hyperuricaemia and gout. *Nat Rev Rheumatol* 14, 341–353 (2018)
- McCormick N, Rai SK, Lu N, Yokose C et al.: Estimation of Primary Prevention of Gout in Men Through Modification of Obesity and Other Key Lifestyle Factors. *JAMA Netw Open* 3, e2027421 (2020)
- Maclachlan MJ, Rodnan GP: Effect of food, fast and alcohol on serum uric acid and acute attacks of gout. *Am J Med* 42, 38–57 (1967)
- Modan M, Halkin H, Karasik A, Lusky A: Elevated serum uric acid – a facet of hyperinsulinaemia. *Diabetologia* 30, 713–8 (1987)
- Moriwaki Y, Ka T, Takahashi S, Tsutsumi Z et al.: Effect of beer ingestion on the plasma concentrations and urinary excretion of purine bases: one-month study. *Nucleosides Nucleotides Nucleic Acids* 25, 1083–5 (2006)
- Muscelli E, Natali A, Bianchi S, Bigazzi R et al.: Effect of insulin on renal sodium and uric acid handling in essential hypertension. *Am J Hypertens* 9, 746–52 (1996)
- N.N.: Hyperurikämie und Gicht. In: Hahn A, Ströhle A, Wolters M: Ernährung. Physiologische Grundlagen, Prävention, Therapie. 3. Aufl., Wissenschaftliche Verlagsgesellschaft, Stuttgart, 870–878 (2016)
- Nakayama A, Nakaoka H, Yamamoto K, Sakiyama M et al.: GWAS of clinically defined gout and subtypes identifies multiple susceptibility loci that include urate transporter genes. *Ann Rheum Dis* 76, 869–877 (2017)
- Neogi T, Chen C, Niu J, Chaisson C et al.: Alcohol quantity and type on risk of recurrent gout attacks: an internet-based case-crossover study. *Am J Med* 127, 311–8 (2014)
- Nichaman MZ, Hamilton HB, Kagan A, Grier T et al.: Epidemiologic studies of coronary heart disease and stroke in Japanese men living in Japan, Hawaii and California: distribution of biochemical risk factors. *Am J Epidemiol* 102, 491–501 (1975)
- Nielsen SM, Bartels EM, Henriksen M, Wæhrens EE et al.: Weight loss for overweight and obese individuals with gout: a systematic review of longitudinal studies. *Ann Rheum Dis* 76, 1870–1882 (2017)
- Peixoto MR, Monego ET, Jardim PC, Carvalho MM et al.: Diet and medication in the treatment of hyperuricemia in hypertensive patients. *Arq Bras Cardiol* 76, 463–72 (2001)
- Perheentupa J, Raivio K. Fructose-induced hyperuricaemia. *Lancet* 2, 528–31 (1967)
- Prior IA, Welby TJ, Ostbye T, Salmond CE et al.: Migration and gout: the Tokelau Island migrant study. *Br Med J (Clin Res Ed)* 295, 457–61 (1987)
- Quiñones Galvan A, Natali A, Baldi S, Frascerra S et al.: Effect of insulin on uric acid excretion in humans. *Am J Physiol* 268, E1–5 (1995)
- Rai SK, Fung TT, Lu N, Keller SF et al.: The Dietary Approaches to Stop Hypertension (DASH) diet, Western diet, and risk of gout in men: prospective cohort study. *BMJ* 357, j1794 (2017)
- Ralston SH, Capell HA, Sturrock RD: Alcohol and response to treatment of gout. *Br Med J (Clin Res Ed)* 296, 1641–2 (1988)
- Shiozawa A, Szabo SM, Bolzani A, Cheung A et al.: Serum Uric Acid and the Risk of Incident and Recurrent Gout: A Systematic Review. *J Rheumatol* 44, 388–396 (2017)
- Singh JA, Gaffo A: Gout epidemiology and comorbidities. *Semin Arthritis Rheum* 50, S11–S16 (2020)
- Stirpe F, Della Corte E, Bonetti E, Abbondanza A et al.: Fructose-induced hyperuricaemia. *Lancet* 2, 1310–1 (1970)
- Ströhle A, Hahn A, Wolters M: Ernährung und Gicht. Prävention und Therapie. *Med Monatsschr Pharm* 44, 120–132 (2021)
- Suyoto PST: Effect of low-carbohydrate diet on markers of renal function in patients with type 2 diabetes: A meta-analysis. *Diabetes Metab Res Rev* 34, e3032 (2018)
- Tan PK, Farrar JE, Gaucher EA, Miner JN: Coevolution of URAT1 and Uricase during Primate Evolution: Implications for Serum Urate Homeostasis and Gout. *Mol Biol Evol* 33, 2193–200 (2016)

- Tang O, Miller ER 3rd, Gelber AC, Choi HK et al.: DASH diet and change in serum uric acid over time. *Clin Rheumatol* 36, 1413–1417 (2017)
- Tang-Liu DD, Williams RL, Riegelman S: Disposition of caffeine and its metabolites in man. *J Pharmacol Exp Ther* 224, 180–5 (1983)
- Towiwat P, Li ZG: The association of vitamin C, alcohol, coffee, tea, milk and yogurt with uric acid and gout. *Int J Rheum Dis* 18, 495–501 (2015)
- Toyoki D, Shibata S, Kuribayashi-Okuma E, Xu N et al.: Insulin stimulates uric acid reabsorption via regulating urate transporter 1 and ATP-binding cassette subfamily G member 2. *Am J Physiol Renal Physiol* 313, F826–F834 (2017)
- Vedder D, Walrabenstein W, Heslinga M, de Vries R et al.: Dietary Interventions for Gout and Effect on Cardiovascular Risk Factors: A Systematic Review. *Nutrients* 11, 2955 (2019)
- Wang M, Jiang X, Wu W, Zhang D: A meta-analysis of alcohol consumption and the risk of gout. *Clin Rheumatol* 32, 1641–8 (2013)
- Wang DD, Sievenpiper JL, de Souza RJ, Chiavaroli L et al.: The effects of fructose intake on serum uric acid vary among controlled dietary trials. *J Nutr* 142, 916–23 (2012)
- Wu T, Giovannucci E, Pischon T, Hankinson SE et al.: Fructose, glycemic load, and quantity and quality of carbohydrate in relation to plasma C-peptide concentrations in US women. *Am J Clin Nutr* 80, 1043–9 (2004)
- Yamamoto T, Moriwaki Y, Takahashi S: Effect of ethanol on metabolism of purine bases (hypoxanthine, xanthine, and uric acid). *Clin Chim Acta* 356, 35–57 (2005)
- Yeo C, Kaushal S, Lim B, Syn N et al.: Impact of bariatric surgery on serum uric acid levels and the incidence of gout-A meta-analysis. *Obes Rev* 20, 1759–1770 (2019)
- Yokose C, McCormick N, Choi HK: The role of diet in hyperuricemia and gout. *Curr Opin Rheumatol*. Jan 4 (2021); doi: 10.1097/BOR.0000000000000779
- Yokose C, McCormick N, Rai SK, Lu N et al.: Effects of Low-Fat, Mediterranean, or Low-Carbohydrate Weight Loss Diets on Serum Urate and Cardiometabolic Risk Factors: A Secondary Analysis of the Dietary Intervention Randomized Controlled Trial (DIRECT). *Diabetes Care* 43, 2812–2820 (2020)
- Zhang Y, Chen C, Choi H, Chaisson C et al.: Purine-rich foods intake and recurrent gout attacks. *Ann Rheum Dis* 71, 1448–53 (2012)
- Zhang Y, Yang T, Zeng C, Wei J et al.: Is coffee consumption associated with a lower risk of hyperuricaemia or gout? A systematic review and meta-analysis. *BMJ Open* 6, e009809 (2016)
- Zhu Y, Pandya BJ, Choi HK: Comorbidities of gout and hyperuricemia in the US general population: NHANES 2007–2008. *Am J Med* 125, 679–687 (2012)
- Zhu Y, Zhang Y, Choi HK: The serum urate-lowering impact of weight loss among men with a high cardiovascular risk profile: the Multiple Risk Factor Intervention Trial. *Rheumatology (Oxford)* 49, 2391–9 (2010)
- Zöllner N: Influence of various purines on uric acid metabolism. *Bibl Nutr Dieta* 19, 34–43 (1973)

Endometriose und Ernährung

- Armour M, Sinclair J, Chalmers KJ, Smith CA: Self-management strategies amongst Australian women with endometriosis: a national online survey. *BMC Complement Altern Med* 19, 17 (2019)
- Ashrafi M, Jahangiri N, Sadatmahalleh SJ et al.: Diet and the risk of endometriosis in Iranian women: a case-control study. *Int J Fertil Steril* 14, 193–200 (2020)
- Bilharz C: Endometriose. Eine hartnäckige und schwer fassbare Erkrankung. „Endometrioseherde außerhalb des Uterus“. *Deutsche Apotheker Zeitung*, Nr. 34/2013, 44 (22.08.2013)
- Brandes I, Heinze N: Ernährungsempfehlungen bei Endometriose. *Geburtshilfe Frauenheilkunde* 78, 106 (2018)
- DAZ: Pharmakotherapie der Endometriose. 6.7.2017. www.deutsche-apotheker-zeitung.de
- Demezio da Silva CV, Felipe VL, Shivappa N et al.: Dietary inflammatory index score and risk of developing endometriosis: a case-control study. *JEPPD* 1–8 (2020)
- Gaibisso T: Is there a universal diet for endometriosis? www.endometriosisaustralia.org/post/is-there-a-universal-diet-for-endometriosis (2020)
- Garcia-Ibanez P, Yepes-Molina L, Ruiz-Alcaraz AJ et al.: Brassica bioactives could ameliorate the chronic inflammatory condition of endometriosis. *Int J Mol Sci* 21 (2020)
- Harlev A, Gupta S, Agarwal A: Targeting oxidative stress to treat endometriosis. *Epert Opin Ther Targets* 19, 1447–1464 (2015)
- Harris HR, Eke AC, Chavarro JE, Missmer SA: Fruit and vegetable consumption and risk of endometriosis. *Hum Reprod* 33, 715–727 (2018)
- Harris HR et al.: Dairy-food, calcium, magnesium and vitamin D-intake and endometriosis: a prospective cohort study. *Am J Epidemiol* 177, 420–430 (2013)
- Heinze NR: Ernährung & Endometriose – Zusammenhänge, Hindernisse & Möglichkeiten. *Diplomica-Verlag, Hamburg* (2018)
- Huijs E, Nap A: The effects of nutrients on symptoms in women with endometriosis: a systematic review. *Reprod Biomed Online* 41, 317–328 (2020)
- Kaiser B, Korell M: Ergebnisse der Ernährungsberatung bei Frauen mit Endometriose. *J Gynäkol Endokrinol* 18, 58–61 (2008)
- Karlsson JV, Patel H, Premberg A: Experiences of health after dietary changes in endometriosis: a qualitative interview study. *BMJ Open* (2020)
- Knauth K: Endometriose, ihre Begleiterkrankungen und -erscheinungen. In: *Eine Endometriose kommt selten allein. Endometriose-Vereinigung Deutschland (Hrsg.). www.endometriose-vereinigung.de* (2019)
- Marziali M, Venza M, Lazzaro S et al.: Gluten-free diet: a new strategy for management of painful endometriosis related symptoms? *Minerva Chir* 67, 499–504 (2012)
- Mu F, Rich-Edwards J, Rimm EB et al.: Endometriosis and risk of coronary heart disease. *Circ Cardiovasc Qual Outcomes* 9, 257–264 (2016)
- Nodler JL, Harris HR, Chavarro JE et al.: Dairy consumption during adolescence and endometriosis risk. *Am J Obstet Gynecol* (2019)
- Ott J, Nouri K. D. Hrebacka et al.: Endometriosis and nutrition – recommending a mediterranean diet decreases endometriosis-associated pain: an experimental observational study. *Journal of Aging Research & Clinical Practice* 1, 162–166 (2012)
- Qiu Y, Yuan S, Wang H: Vitamin D status in endometriosis: a systematic review and meta-analysis. *Arch Gyn Obstet* (2020)
- RKI: *Gesundheit der Frauen in Deutschland – ein Überblick.* (2020)
- Rösch R: *Arthrose und Ernährung. Ernährung im Fokus* 01–02, 34–43 (2018)
- Saguyod SJU, Kelley AS, Velarde MC, Simmen RCM: Diet and endometriosis-revisiting the linkages to inflammation. *JEPPD* 10, 51–58 (2018)
- Santanam N, Kavtaradze N, Murphy A et al.: Antioxidant Supplementation Reduces Endometriosis Related Pelvic Pain in Humans. *Transl Res* 161, 189–195 (2013)
- Schink M, Konturek PC, Herbert SL et al.: Different nutrient intake and prevalence of gastrointestinal comorbidities in women with endometriosis. *J Physiol Pharmacol* 70, 255–268 (2019)
- Shigeshi N, Kvaskoff M, Kirtley S et al.: The association between endometriosis and autoimmune disease: a systematic review and meta-analysis. *Hum Reprod Update* 25, 486–503 (2019)
- Simmen RCM, Kelley AS: Seeing red: diet and endometriosis risk. *Ann Transl Med* 6 (Suppl 2) S119 (2018)

- Soave I, Occhiali T, Wenger J-M et al.: Endometriosis and food habits: Can diet make the difference? *J Endometr Pelvic Pain Disorder* 10, 59–71 (2018)
- Taylor RN, Kane MA, Sidell N. Pathogenesis of Endometriosis: Roles of Retinoids and Inflammatory Pathways. *Semin Reprod Med* 33, 246–256 (2015)
- Wenzl R, Perricos A: Endometriose. *Österreichische Ärztezeitung* 20, 24–29 (2020)
- Xu Y, Wan Q, Feng J et al.: Whole grain diet reduces systemic inflammation. *Medicine* 97 (43) (2018)
- Yamamoto A, Harris HR, Vitonis AF et al.: A prospective cohort study of meat and fish consumption and endometriosis risk. *Am J Obstet Gynecol* 219, 178.e1–178.e10 (2018)

Kopfschmerzen und Ernährung

- Armstrong L, Gossard G: Taking an integrative approach to migraine headaches. *J Fam Practise* 65, 165–169 (2016)
- Arora H, Kaur R: The role of diet in headaches. *Delhi Psychiatry Journal* 11, 69–72 (2008)
- Bunner AE, Agarwal U, Gonzales JF: Nutrition intervention for migraine: a randomized crossover trial. *J Headache Pain* 15, 69 (2014)
- Calhoun AH, Gill N: Presenting a new, non-hormonally mediated cyclic headache in women: End-menstrual migraine. *Headache* 5 Oct (2016)
- DMKG: Aktuelle Umfrage: Migräne wird von Ärzten weiterhin häufig übersehen. *Presseinformation vom 17.3.2021*
- DMKG (Gemeinsame Pressemitteilung mit der DGN): Neue Leitlinie Kopfschmerz bei Übergebrauch von Schmerzmitteln: eine halbe Million betroffen. 16.07.2018
- Evans EW, Lipton RB, Peterlin BL et al.: Dietary intake patterns and diet quality in a nationally representative sample of women with and without severe headache or migraine. *Headache* 55, 550–561 (2015)
- Fallah R, Bidoki Z, Ordooei M: Evaluation Efficacy of ferrous sulfate therapy on headaches of 5–15 years old iron deficient children with migraine. *Iran J Ped Hematol Oncol* 6, 32–37 (2015)
- Ferrara LA, Pacioni D, Di Fronzo V et al.: Low-lipid diet reduces frequency and severity of acute migraine attacks. *Nutr Metab Cardiovasc Dis* 25, 370–375 (2015)
- FET e. V: Chronischer Kopfschmerz und Migräne-Ernährungstherapie; (2021); www.fet-ev.eu
- Gonullu H, Gonullu E, Karadas S et al.: The levels of trace elements and heavy metals in patients with acute migraine headache. *J Pak Med Assoc* 65, 694–697 (2015)
- Gunay Y, Jamal M, Capper A et al.: Roux-en-Y gastric bypass achieves substantial resolution of migraine headache in the severely obese: 9-year experience in 81 patients. *Surg Obes Relat Dis* 9, 55–62 (2013)
- Gür-Özmen S, Karahan-Özcan R: Iron deficiency anemia is associated with menstrual migraine: A case-control study. *Pain Med* 14 (2015)
- VanHemert S, Breedveld AC, Rovers JM et al.: Migraine associated with gastrointestinal disorders: review of the literature and clinical implications. *Front Neurol* 21, 241ff. (2014)
- Holzhammer J, Wöber C: Alimentäre Triggerfaktoren bei Migräne und Kopfschmerz vom Spannungstyp. *Schmerz* 20, 151–159 (2008)
- Jetter M: 111 Rezepte gegen Migräne. Aulöser kennen – Schmerzen lindern. Schlütersche Verlagsgesellschaft, Hannover (2013)
- Kopishinskaya SV, Gustov AV: Gluten migraine. *Zh Nevrol Psikhiatr Im S Korsakova*. 115 (2015) Abstract
- von Kries R, Straube A: Volkskrankheit Kopfschmerz. *Bundesgesundheitsblatt* 57, 911–912 (2014)
- Kurth T, Winter AC, Eliassen AH et al.: Migraine and risk of cardiovascular disease in women: prospective cohort study. *BMJ* 353 (2016); www.bmj.com/content/353/bmj.i2610.long
- Youseflu S, Sadatmahalleh SJ, Mottaghi A et al.: The association of food consumption and nutrient intake with endometriosis risk in Iranian women: a case-control study. *Int J Reprod Biomed* 17, 661–670 (2019)
- Youseflu S, Sadatmahalleh SJ, Mottaghi A et al.: Dietary Phytoestrogen Intake and The Risk of Endometriosis in Iranian Women: A Case-Control Study *Int J Fertil Steril* 13, 296–300 (2020a)
- Youseflu S, Sadatmahalleh SJ, Roshanzadeh G et al.: Effects of endometriosis on sleep quality of women: does lifestyle factor make a difference? *BMC Womens Health* 20, 168 (2020b)
- Kröner-Herwig B: Kopfschmerzen bei Kindern und Jugendlichen. *Bundesgesundheitsblatt* 57, 928–934 (2014)
- Martin VT, Brinder Vij: Diet and Headache: Part 1. *Headache* 1543–1552 (2016a)
- Martin VT, Brinder Vij: Diet and Headache: Part 2. *Headache* 1553–1562 (2016b)
- Mauskop A, Varughese J: Why all migraine patients should be treated with magnesium. *J Neural Transm (Vienna)* 119, 575–579 (2012)
- Mottaghi T, Askari G, Khorvash F, Maracy MR: Effect of Vitamin D supplementation on symptoms and c-reactive protein in migraine patients. *J Res Med Sci* 20, 477–482 (2015)
- Namazi N, Heshmati J, Tarighat-Esfanjani A: Supplementation with riboflavin (Vitamin B2) for migraine prophylaxis in adults and children: a review. *Int J Vitam Nutr Res* 85, 79–87 (2015)
- Neurologen und Psychiater im Netz: Bei Cluster-Kopfschmerzen ist Tagebuch führen hilfreich. *Presseinformation vom 22.10.2018*
- Panconesi A: Alcohol and migraine: trigger factor, consumption, mechanisms. A review. *J Headache Pain* 9, 19–27 (2008)
- Panconesi A: Alcohol-induced headaches: Evidence for a central mechanism? *J Neurosci Rural Pract* 7, 269–275 (2016)
- Ramsden CE, Zamora D, Faurot KR et al.: Dietary alteration of n-3 and n-6 fatty acids for headache reduction in adults with migraine: randomized controlled trial. *BMJ online* (2021); <https://doi.org/10.1136/bmj.n1448>
- Ray S, Singh SB, Halford JC et al.: A pilot study of obesogenic eating behaviors in children with migraine. *J Child Neurol* 31, 895–898 (2016)
- Recober A, Peterlin BL: Migraine and obesity: moving beyond BMI. *Future Neurol* 9, 37–40 (2014)
- RKI: Migräne und Spannungskopfschmerz in Deutschland. Prävalenz und Erkrankungsschwere im Rahmen der Krankheitslast-Studie BURDEN 2020. *Journal of Health Monitoring* S6/2020
- Sadeghi O, Nasiri M, Maghsoudi Z et al.: Effects of pyridoxine supplementation on severity, frequency and duration of migraine attacks in migraine patients: a Double-blind randomized clinical trial study in Iran. *Iran J Neurol* 14, 74–80 (2015)
- Sitzer M, Steinmetz H: *Lehrbuch für Neurologie*. Elsevier-Verlag München. 59–70 (2011)
- Verrotti A, Di Fonzo A, Penta L et al.: Obesity and Headache/Migraine: The importance of weight reduction through lifestyle modification. *BioMed Res Int* (2014)
- Viegner U: Aktuelle Empfehlungen bei Spannungskopfschmerzen. *PTA-Forum* 23 (2015)

Intervallfasten

Auswirkungen auf Gewicht und Gesundheit

Azevedo FR, Ikeoka D, Caramelli B: Effects of intermittent fasting on metabolism in men. *Rev Assoc Med Bras* 59, 167–173 (2013)

Bächle C: Intervallfasten bei Typ-2-Diabetes: Zu Risiken und Nebenwirkungen. DEBInet. 8.12.2020

Barnosky AR, Hoddy KK, Unterman TG, Varady KA: Intermittent fasting vs daily calorie restriction for type 2 diabetes prevention: a review of human findings. *Transl Res* 164, 302–311 (2014)

Baumeister C, Schwenk RW, Schürmann A: Kalorische Restriktion und Intervallfasten schützen durch Veränderung des Leberstoffwechsels vor Typ-2-Diabetes. *Adipositas* 3, 146–150 (2015)

Bosy-Westphal A: Intervallfasten. Vortrag. *Update Ernährungsmedizin* (2018)

Brandhorst S, Choi Y, Wei M: A periodic diet that mimics fasting promotes multi-system regeneration, enhanced cognitive performance and healthspan. *Cell metabolism* 22, 86–99 (2015)

CBmed Biomarker Research: Presseinformation – Wissen statt glauben: Länger leben durch Kalorienrestriktion; www.cbmed.org vom 29.12.2015

Deutsches Ärzteblatt: Intervallfasten senkt in zwei Studien Körpergewicht und Stoffwechsellrisiken. www.aerzteblatt.de vom 28.08.2019

DGE: DGE-Beratungsstandards. Kapitel 2.25: Intervallfasten (2020)

Ells LJ, Atkinson G, McGowan VJ, Hamilton S et al.: Intermittent fasting interventions for the treatment of overweight and obesity in adults aged 18 years and over: a systematic review protocol. *JBIM Database System Rev Implement Rep* 13, 60–68 (2015)

Harvie M, Pegington M, Mattson MP et al.: The effects of intermittent or continuous energy restriction on weight loss and metabolic disease risk markers: a randomized trial in young overweight women. *Int J Obes* (2010)

Harvie M, Howell T: *Die 2-Tage-Diät*. Goldmann-Verlag, München (2014)

He F, Zuo L, Pannell B, Ward E, Arciero P: High protein intermittent-fasting intervention is effective in weight loss and improving arterial function in obese adults. *Med Sci Sports Exerc* 48 (5 Suppl 1) 542 (2016)

Horne BD, Muhlestein JB, Anderson JL: Health effects of intermittent fasting: hormesis or harm? A systematic review. *Am J Clin Nutr* 102, 464–470 (2015)

Hottenrott K: Intervallfasten und Sport. Vortrag vom 01.11.2015 in Oberursel

Klempel MC, Bhutani S, Fitzgibbon M, Freels S, Varady KA: Dietary and physical activity adaptations to alternate day modified fasting: implications for optimal weight loss. *Nutrition journal* 9, 35 (2010)

Klempel MC, Kroeger CM, Bhutani S et al.: Intermittent fasting combined with calorie restriction is effective for weight loss and cardio-protection in obese women. *Nutrition Journal* 11, 98 (2012)

Li L, Wang Z, Zuo Z: Chronic intermittent fasting improves cognitive functions and brain structures in mice. *PLoS One* 3 (2013)

Longo VD, Mattson MP: Fasting: Molecular mechanisms and clinical applications. *Cell Metabolism* 19, 181–192 (2014)

Mesalhy SA: Role of intermittent fasting on improving health and reducing diseases. *Int J Health Sci* 8 Editorial (2014)

Mosley M, Spencer M: *The Fast Diet*. Goldmann-Verlag (2014)

NHS (National Health Service): New analysis: Does the 5:2 fast diet work? (2013); www.nhs.uk

Patterson RE, Laughlin GA, LaCroix AZ et al.: Intermittent fasting and human metabolic health. *Journal of the Academy of Nutrition and Dietetics* 115, 1203–1212 (2015)

Ritzmann-Widderich M: Länger jung durch Fasten? *UGB-Forum* (2006); www.ugb.de

Schmidt S, Krämer C: UGB-Tagung: Ernährung aktuell mit attraktivem Programm. Pressebericht vom 15.6.2016; www.ernaehrungs-umschau.de

Schürmann A (Interview): Dieses Fasten führt nicht zum Jo-Jo-Effekt. www.faz.net, 25.2.2016

Singh R, Manchanda S, Kaur T et al.: Middle age onset short-term intermittent fasting dietary restriction prevents brain function impairments in male Wistar rats. *Biogerontology* 16, 775–788 (2015)

Varady KA: Intermittent versus daily calorie restriction: which diet regimen is more effective for weight loss? *Obesity reviews* 12 (7), (2011)

Varady KA: Impact of intermittent fasting on glucose homeostasis. *Curr Opin Clin Nutr Metab Care*. May 2 (2016)

Vasconcelos AR, Kinoshita PF, Yshii LM et al.: Effects of intermittent fasting on age related changes on Na,K-ATPase activity and oxidative status induced by lipopolysaccharide in rat hippocampus. *Neurobiol Aging* 36, 1914–1923 (2015)

Wegmann MP, Guo MH, Bennion DM et al.: Practicality of intermittent fasting in humans and its effect on oxidative stress and genes related to aging and metabolism. *Rejuvenation Research* 18, 162–172 (2015)

Gesünder mit vegetarischer Ernährung!? – Fakten und Fiktionen

Agrawal S, Millett CJ, Dhillion PK, Subramanian SV, Ebrahim S: Type of vegetarian diet, obesity and diabetes in adult Indian population. *Nutr J* 13, 89 (2014)

Appleby P, Roddam A, Allen N, Key T: Comparative fracture risk in vegetarians and nonvegetarians in EPIC-Oxford. *Eur J Clin Nutr* 61, 1400–1406 (2007)

Appleby PN, Crowe FL, Bradbury KE, Travis RC, Key TJ: Mortality in vegetarians and comparable nonvegetarians in the United Kingdom. *Am J Clin Nutr* 103, 218–30 (2016)

Appleby PN, Davey GK, Key TJ: Hypertension and blood pressure among meat eaters, fish eaters, vegetarians and vegans in EPIC-Oxford. *Public Health Nutr* 5, 645–54 (2002)

Appleby PN, Key TJ: The long-term health of vegetarians and vegans. *Proc Nutr So* 75, 287–93 (2016)

Abril-Ulloa V, Flores-Mateo G, Sola-Alberich R, Manuel-y-Keenoy B, Arija V: Ferritin levels and risk of metabolic syndrome: meta-analysis of observational studies. *BMC Public Health* 14, 483 (2014)

Balarajan R, Raleigh VS: Patterns of mortality among Bangladeshis in England and Wales. *Ethn Health* 1, 3–5 (1997)

Balarajan R: Ethnicity and health: the challenges ahead. *Ethn Health* 1, 3–5 (1996)

Barnard ND, Levin SM, Yokoyama Y: A systematic review and meta-analysis of changes in body weight in clinical trials of vegetarian diets. *J Acad Nutr Diet* 115, 954–69 (2015)

Chan J, Jaceldo-Siegl K, Fraser GE: Serum 25-hydroxyvitamin D status of vegetarians, partial vegetarians, and nonvegetarians: the Adventist Health Study-2. *Am J Clin Nutr* May 89 (5), 1686S–1692S (2009)

- Chang-Claude J, Hermann S, Eilber U, Steindorf K: Lifestyle determinants and mortality in German vegetarians and health-conscious persons: results of a 21-year follow-up. *Cancer Epidemiol Biomarkers Prev* 14, 963–8 (2005)
- Chuang SY, Chiu TH, Lee CY, Liu TT, Tsao CK, Hsiung CA, Chiu YF: Vegetarian diet reduces the risk of hypertension independent of abdominal obesity and inflammation: a prospective study. *J Hypertens* Aug 10 (2016), PubMed PMID: 27512965
- Coad J, Conlon C: Iron deficiency in women: assessment, causes and consequences. *Curr Opin Clin Nutr Metab Care* 14, 625–34 (2011)
- Craig WJ: Nutrition concerns and health effects of vegetarian diets. *Nutr Clin Pract* 25, 613–20 (2010)
- Crowe FL, Appleby PN, Travis RC, Key TJ: Risk of hospitalization or death from ischemic heart disease among British vegetarians and nonvegetarians: results from the EPIC-Oxford cohort study. *Am J Clin Nutr* 97, 597–603 (2013)
- Crowe FL, Steur M, Allen NE, Appleby PN, Travis RC, Key TJ: Plasma concentrations of 25-hydroxyvitamin D in meat eaters, fish eaters, vegetarians and vegans: results from the EPIC-Oxford study. *Public Health Nutr* Feb, 14 (2), 340–6 (2011)
- Davey GK, Spencer EA, Appleby PN, Allen NE, Knox KH, Key TJ: EPIC-Oxford: lifestyle characteristics and nutrient intakes in a cohort of 33 883 meat-eaters and 31 546 non meat-eaters in the UK. *Public Health Nutr* May 6 (3), 259–69 (2003)
- Dinu M, Abbate R, Gensini GF, Casini A, Sofi F: Vegetarian, vegan diets and multiple health outcomes: a systematic review with meta-analysis of observational studies. *Crit Rev Food Sci Nutr* Feb 6, 0 (2016), PubMed PMID:26853923
- Elorinne AL, Alfthan G, Erlund I, Kivimäki H, Paju A, Salminen I, Turpeinen U, Voutilainen S, Laakso J: Food and nutrient intake and nutritional status of Finnish vegans and non-vegetarians. *PLoS One* Feb 3, 11 (2), e0148235 (2016)
- Estruch R, Martinez-Gonzalez MA, Corella D et al.: Effect of a high-fat Mediterranean diet on bodyweight and waist circumference: a prespecified secondary outcomes analysis of the PREDIMED randomised controlled trial. *Lancet Diabetes Endocrinol* 4, 666–76 (2016)
- Foster M, Chu A, Petocz P, Samman S: Effect of vegetarian diets on zinc status: a systematic review and meta-analysis of studies in humans. *J Sci Food Agric* Aug 15, 93 (10), 2362–71 (2013)
- Gibson RS, Perlas L, Hotz C: Improving the bioavailability of nutrients in plant foods at the household level. *Proc Nutr Soc* May 65 (2), 60–8 (2006)
- Godos J, Bella F, Sciacca S, Galvano F, Grosso G: Vegetarianism and breast, colorectal and prostate cancer risk: an overview and meta-analysis of cohort studies. *J Hum Nutr Diet* Oct 6 (2016); doi: 10.1111/jhn.12426, Review. PubMed PMID: 27709695
- Hahn A, Ströhle A, Wolters M: Ernährung. Physiologische Grundlagen, Prävention, Therapie. 3. Aufl., Wissenschaftliche Verlagsgesellschaft, Stuttgart (2016)
- Haider LM, Schwingshackl L, Hoffmann G, Ekmekcioglu C: The effect of vegetarian diets on iron status in adults: A systematic review and meta-analysis. *Crit Rev Food Sci Nutr* 23, 0 (2016), PubMed PMID:27880062
- Heaney RP, Dowell MS, Bierman J, Hale CA, Bendich A: Absorbability and cost effectiveness in calcium supplementation. *J Am Coll Nutr* 20, 239–46 (2001)
- Heaney RP, Recker RR, Weaver CM: Absorbability of calcium sources: the limited role of solubility. *Calcif Tissue Int* 46, 300–4 (1990)
- Ho-Pham LT, Nguyen ND, Nguyen TV: Effect of vegetarian diets on bone mineral density: a Bayesian meta-analysis. *Am J Clin Nutr* 90, 943–950 (2009)
- Ho-Pham LT, Vu BQ, Lai TQ, Nguyen ND, Nguyen TV: Vegetarianism, bone loss, fracture and vitamin D: a longitudinal study in Asian vegans and non-vegans. *Eur J Clin Nutr* 66, 75–82 (2012)
- Jacobs DR Jr, Tapsell LC: What an anticardiovascular diet should be in 2015. *Curr Opin Lipidol* Aug 26 (4), 270–5 (2015)
- Japas C, Knutsen S, Dehom S, Dos Santos H, Tonstad S: Body mass index gain between ages 20 and 40 years and lifestyle characteristics of men at ages 40–60 years: the Adventist Health Study-2. *Obes Res Clin Pract* 8, e549–57 (2014)
- Jenkins DJ, Kendall CW, Marchie A, Jenkins AL, Augustin LS, Ludwig DS, Barnard ND, Anderson JW: Type 2 diabetes and the vegetarian diet. *Am J Clin Nutr* 78 (3 Suppl), 610S–616S (2003)
- Key T, Davey G: Prevalence of obesity is low in people who do not eat meat. *BMJ* 313, 816–7 (1996)
- Key TJ, Appleby PN, Crowe FL, Bradbury KE, Schmidt JA, Travis RC: Cancer in British vegetarians: updated analyses of 4998 incident cancers in a cohort of 32,491 meat eaters, 8612 fish eaters, 18,298 vegetarians, and 2246 vegans. *Am J Clin Nutr* 100 (Suppl 1), 378S–85S (2014)
- Key TJ, Appleby PN, Spencer EA, Travis RC, Roddam AW, Allen NE: Mortality in British vegetarians: results from the European Prospective Investigation into Cancer and Nutrition (EPIC-Oxford). *Am J Clin Nutr* 89, 1613S–1619S (2009)
- Key TJ, Fraser GE, Thorogood M, Appleby PN, Beral V, Reeves G, Burr ML, Chang-Claude J, Frentzel-Beyme R, Kuzma JW, Mann J, McPherson K: Mortality in vegetarians and nonvegetarians: detailed findings from a collaborative analysis of 5 prospective studies. *Am J Clin Nutr* Sep, 70 (3 Suppl), 516S–524S (1999)
- Krajcovicová-Kudláčková M, Bucková K, Klimes I, Seboková E: Iodine deficiency in vegetarians and vegans. *Ann Nutr Metab* 47 (5), 183–5 (2003)
- Kristensen NB, Madsen ML, Hansen TH, Allin KH, Hoppe C, Fagt S, Lausten MS, Gøbel RJ, Vestergaard H, Hansen T, Pedersen O: Intake of macro- and micronutrients in Danish vegans. *Nutr J* Oct 30, 14, 115 (2015)
- Kwok CS, Umar S, Myint PK, Mamas MA, Loke YK: Vegetarian diet, Seventh Day Adventists and risk of cardiovascular mortality: a systematic review and meta-analysis. *Int J Cardiol* 176, 680–6 (2014)
- Lamberg-Allardt C, Kärrkäinen M, Seppänen R, Biström H: Low serum 25-hydroxyvitamin D concentrations and secondary hyperparathyroidism in middle-aged white strict vegetarians. *Am J Clin Nutr* Nov, 58 (5), 684–9 (1993)
- Leung AM, Lamar A, He X, Braverman LE, Pearce EN: Iodine status and thyroid function of Boston-area vegetarians and vegans. *J Clin Endocrinol Metab* Aug, 96 (8), E1303–7 (2011)
- Li D: Chemistry behind Vegetarianism. *J Agric Food Chem* Feb 9, 9, 777–84 (2011)
- Lönnerdal B: Soybean ferritin: implications for iron status of vegetarians. *Am J Clin Nutr* 89, 1680S–1685S (2009)
- McCarty MF: Sub-optimal taurine status may promote platelet hyperaggregability in vegetarians. *Med Hypotheses* 63, 426–33 (2004)
- McEvoy CT, Temple N, Woodside JV: Vegetarian diets, low-meat diets and health: a review. *Public Health Nutr* 15, 2287–94 (2012)
- Melina V, Craig W, Levin S: Position of the Academy of Nutrition and Dietetics: vegetarian diets. *J Acad Nutr Diet* Dec, 116 (12), 1970–1980 (2016)
- Mensink GBM, Barbarosa CL, Brettschneider A-K: Verbreitung der vegetarischen Ernährungsweise in Deutschland. *J Health Monitor* 1, 2–14 (2016)
- Mente A, de Koning L, Shannon HS, Anand SS: A systematic review of the evidence supporting a causal link between dietary factors and coronary heart disease. *Arch Intern Med* Apr 13, 169 (7), 659–69 (2009)
- Mozaffarian D: Dietary and policy priorities for cardiovascular disease, diabetes, and obesity: a comprehensive review. *Circulation* Jan 12, 133 (2), 187–225 (2016)
- National Health and Medical Research Council and New Zealand Ministry of Health. Nutrient reference values for Australia and New Zealand including recommended dietary intakes. Canberra: NHMRC (2006)
- Newby PK, Tucker KL, Wolk A: Risk of overweight and obesity among semivegetarian, lactovegetarian, and vegan women. *Am J Clin Nutr* 81, 1267–74 (2005)

- Obeid OA, Mannan N, Perry G, Iles RA, Boucher BJ: Homocysteine and folate in healthy east London Bangladeshis. *Lancet* 352, 1829–30 (1998)
- Obersby D, Chappell DC, Dunnett A, Tsiami AA. Plasma total homocysteine status of vegetarians compared with omnivores: a systematic review and meta-analysis. *Br J Nutr* 109, 785–94 (2013)
- Orban E, Schwab S, Thorand B, Huth C: Association of iron indices and type 2 diabetes: a meta-analysis of observational studies. *Diabetes Metab Res Rev* 30, 372–394 (2014)
- Orlich MJ, Fraser GE: Vegetarian diets in the Adventist Health Study 2: a review of initial published findings. *Am J Clin Nutr* 100, Suppl 1, 353S–8S (2014)
- Orlich MJ, Jaceldo-Siegl K, Sabaté J, Fan J, Singh PN, Fraser GE: Patterns of food consumption among vegetarians and non-vegetarians. *Br J Nutr* 112, 1644–53 (2014)
- Orlich MJ, Singh PN, Sabaté J, Fan J, Sveen L, Bennett H, Knutsen SF, Beeson WL, Jaceldo-Siegl K, Butler TL, Herring RP, Fraser GE: Vegetarian dietary patterns and the risk of colorectal cancers. *JAMA Intern Med* 175, 767–76 (2015)
- Orlich MJ, Singh PN, Sabaté J, Jaceldo-Siegl K, Fan J, Knutsen S, Beeson WL, Fraser GE: Vegetarian dietary patterns and mortality in Adventist Health Study 2. *JAMA Intern Med* 173, 1230–8 (2013)
- Outila TA, Kärkkäinen MU, Seppänen RH, Lamberg-Allardt CJ. Dietary intake of vitamin D in premenopausal, healthy vegans was insufficient to maintain concentrations of serum 25-hydroxyvitamin D and intact parathyroid hormone within normal ranges during the winter in Finland. *J Am Diet Assoc* Apr, 100 (4), 434–41 (2000)
- Pawlak R, Lester SE, Babatunde T: The prevalence of cobalamin deficiency among vegetarians assessed by serum vitamin B12: a review of literature. *Eur J Clin Nutr* 68, 541–8 (2014)
- Pawlak R: Is vitamin B12 deficiency a risk factor for cardiovascular disease in vegetarians? *Am J Prev Med* 48, e11–26 (2015)
- Recker RR, Bammi A, Barger-Lux MJ, Heaney RP: Calcium absorbability from milk products, an imitation milk, and calcium carbonate. *Am J Clin Nutr* 47, 93–5 (1988)
- Richter M, Boeing H, Grünewald-Funk D, Hesecker H, Kroke A, Leschick-Bonnet E, Oberritter H, Strohm D, Watzl B: Vegan diet. Position of the German Nutrition Society (DGE). *Ernährungs Umschau* 63, 92–102 (2016)
- Rizzo NS, Jaceldo-Siegl K, Sabate J, Fraser GE: Nutrient profiles of vegetarian and nonvegetarian dietary patterns. *J Acad Nutr Diet* 113, 1610–9 (2013)
- Rosell M, Appleby P, Spencer E, Key T: Weight gain over 5 years in 21,966 meat-eating, fish-eating, vegetarian, and vegan men and women in EPIC-Oxford. *Int J Obes (Lond)* 30, 1389–96 (2006)
- Schlemmer U, Frølich W, Prieto RM, Grases F: Phytate in foods and significance for humans: food sources, intake, processing, bioavailability, protective role and analysis. *Mol Nutr Food Res* Sep, 53 Suppl 2, S330–75 (2009)
- Schüpbach R, Wegmüller R, Berguerand C, Bui M, Herter-Aeberli I: Micronutrient status and intake in omnivores, vegetarians and vegans in Switzerland. *Eur J Nutr* (2015), PubMed PMID: 26502280
- Schwingshackl L, Hoffmann G: Adherence to Mediterranean diet and risk of cancer: an updated systematic review and meta-analysis of observational studies. *Cancer Me* 4, 1933–47 (2015)
- Shridhar K, Dhillon PK, Bowen L, Kinra S, Bharathi AV, Prabhakaran D, Reddy KS, Ebrahim S; Indian Migration Study Group: The association between a vegetarian diet and cardiovascular disease (CVD) risk factors in India: the Indian Migration Study. *PLoS One* 9, e110586 (2014)
- Sobiecki JG, Appleby PN, Bradbury KE, Key TJ. High compliance with dietary recommendations in a cohort of meat eaters, fish eaters, vegetarians, and vegans: results from the European Prospective Investigation into Cancer and Nutrition-Oxford study. *Nutr Res* May, 36 (5), 464–77 (2016)
- Ströhle A, Hahn A: Kritische Mikronährstoffe bei veganer Ernährung – ein update. *Med Monatschr Pharm* (2017)
- Ströhle A, Hahn A: Vor- und Nachteile vegetarischer Ernährungsformen – aktueller wissenschaftlicher Kenntnisstand. *Ther Umsch* 73, 1–14 (2016a)
- Ströhle A, Hahn A: Ernährung und Knochengesundheit. Was ist wissenschaftlich gesichert? *Med Monatschr Pharm* 39, 236–244 (2016b)
- Ströhle A, Löser C, Behrendt I, Leitzmann C, Hahn A: Alternative Ernährungsformen, Teil 1: Allgemeine Aspekte und vegetarische Kostformen. *Aktuel Ernährungsmed* 41, 47–65 (2016)
- Ströhle A, Worm N: Gesundes Übergewicht!? Warum das Übergewichts-Paradox nur scheinbar paradox ist. *Med Monatschr Pharm* 37, 54–64 (2014)
- Thorogood M, Carter R, Benfield L, McPherson K, Mann JI: Plasma lipids and lipoprotein cholesterol concentrations in people with different diets in Britain. *Br Med J (Clin Res Ed)*, 295, 351–3 (1987)
- Thorpe DL, Knutsen SF, Beeson WL, Rajaram S: Fraser GE. Effects of meat consumption and vegetarian diet on risk of wrist fracture over 25 years in a cohort of peri- and postmenopausal women. *Public Health Nutr* 11, 564–72 (2008)
- Tucker KL: Vegetarian diets and bone status. *Am J Clin Nutr* 100 (Suppl1), 329S–335S (2014)
- Waldmann A, Koschizke JW, Leitzmann C, Hahn A: Dietary intakes and lifestyle factors of a vegan population in Germany: results from the German Vegan Study. *Eur J Clin Nutr* Aug 57 (8), 947–55 (2003)
- Waldmann A, Koschizke JW, Leitzmann C, Hahn A: Dietary iron intake and iron status of German female vegans: results of the German vegan study. *Ann Nutr Metab* 48, 103–8 (2004a)
- Wang F, Zheng J, Yang B, Jiang J, Fu Y, Li D: Effects of vegetarian diets on blood lipids: a systematic review and meta-analysis of randomized controlled trials. *J Am Heart Assoc* 4, e002408 (2015)
- Yokoyama Y, Nishimura K, Barnard ND, Takegami M, Watanabe M, Sekikawa A, Okamura T, Miyamoto Y: Vegetarian diets and blood pressure: a metaanalysis. *JAMA Intern Med* 174, 577–87 (2014)
- Die Arbeit geht in Teilen zurück auf frühere Veröffentlichungen der Autoren zu diesem Thema: Ströhle A, Hahn A: Vor- und Nachteile vegetarischer Ernährungsformen – aktueller wissenschaftlicher Kenntnisstand, *Ther Umsch* 73, 1–14 (2016); Ströhle A, Löser C, Behrendt I, Leitzmann C, Hahn A: Alternative Ernährungsformen, Teil 1: Allgemeine Aspekte und vegetarische Kostformen. *Aktuel Ernährungsmed* 41, 47–65 (2016); Ströhle A, Hahn A: Kritische Mikronährstoffe bei veganer Ernährung – ein update. *Med Monatschr Pharm* (2017)